

4 MP IP Color Vu Bullet(Inbuilt Audio)

R1-4IP-364APB-LTP-A5



Key Features



4 MP 24/7 Color Color Vu Imaging

3.6 mm Lens/ 4 PC White Led

H.265+ / H.264 Dual-Stream Encoding

G.711U, Inbuilt Mic

IR Distance 25-30Meters

Specifications

Camera	
Image Sensor	1/2.9 Image Sensor
Pixel	4 MP
Max. Resolution	2560 x 1440

Lens	
Lens Furnished	3.6mm YTOT Lens (2.8mm, 6mm optional)
Lens Type	Fixed lens
DORI Distance	Detect: 2.8mm: 37m; 3.6mm: 51m, 6mm: 80m Observe: 2.8mm: 15m; 3.6mm: 20m, 6mm: 32m Recognize: 2.8mm: 8m; 3.6mm: 10m, 6mm: 16m Identify: 2.8mm: 4m; 3.6mm: 5m, 6mm: 8m

Video	
Video compression	H.265 / H.265
Main stream	4MP(2560*1440)/3MP(2304*1296)/2MP(1920*1080)/1MP(1280*720)
Substream	448P(800*448)/D1(704*576)/360P(640*360)/CIF(352*288)
Stream Capability	Dual Stream Output at the Same Time
BLC	Supported
HLC	Supported
Gain Control	Auto/Manual
Motion Detection	Disable/Enable (4 areas, rectangle)
Video adjustments	Brightness, saturability, chroma, contrast, sharpness, adjustment
Scanning System	Progressive
S/N Ratio	> 56 dB
Basic Event	Motion detection, video tampering alarm, exception
Humanoid detection	Supported

Illuminator	
IR/Distance	25-30 meters Approx
IR LED	4 PC Warm Led
Min. Illumination	Color: 0.1 lux @ (F2.1, AGC ON), 0 lux with IR
Illuminator On/Off Control	Auto/Manual

Image	
Bit Rate Control	CBR / VBR
Shutter	Auto/Manual, 1/3(4) ~ 1/10,000s
Digital noise reduction	3D noise reduction
Backlight Compensation	Supported
White balance	Supported
Smart Night Mode	White light Intelligent Mode Infrared Light White light
Aubile alarm	Supported
User	6 user Supported

Network	
Ethernet Interface	1 RJ45 10 M/100 M self-adaptive Ethernet port
Support ONVIF	Yes (can connect to third-party NVR)
Protocol	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP ; RTSP ; SMTP; FTP ; DHCP; DNS; DDNS; UPnP ;NTP;PPPoE
Browser	IE Google Firefox
Mobile Phone	IOS; Android

Audio	
Built-in MIC	Yes,Supported
Audio Compression	G.711U

Interface	
Port	RJ45

Operating environment	
Working Condition	-10°C ~ +60°C/ Less than 95%RH

General	
Power Supply	12V2Amp
Casing	Plastic
Camera Type	Outdoor Bullet Camera
PoE	Yes,Supported (802.3af)

*Product specifications and availability are subject to change without notice.